



Garden State Laboratories, Inc.

Report Date: 04/04/2022

Bacteriological and Chemical Testing

Toll Free 800-273-8901
Telephone 908-688-8900
Fax 908-688-8966
Email: info@gsllabs.com
Internet: www.gsllabs.com

Main Lab
410 Hillside Avenue
Hillside, New Jersey 07205
NJDEP Lab Cert. #20044

Jersey Shore Lab
54 Main Street
Waretown, New Jersey 08758
NJDEP Lab Cert. #15037

Mathew Klein, M.S., Founder (1916-1996)
Harvey Klein, M.S., Laboratory Director
Jordan B. Klein, B.A., Exec. Vice President
Sharon Ercoliani, B.A. Laboratory Manager

For: Rock Brook School
109 Orchard Rd.

Skillman, NJ 08558

Attention: Glenn Famous

Client Number: ROC42

Laboratory Director:

Sample ID: Field Blank Lab Sample ID: 220330053-01
Site: Collection Date/Time: 03/26/2022 07:18
Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 11:50	

Sample ID: WC 1 (Water Cooler/
Fountain) Lab Sample ID: 220330053-02
Site: Collection Date/Time: 03/26/2022 07:20
Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 11:59	

Sample ID: WC 2 (Water Cooler/
Fountain) Lab Sample ID: 220330053-03
Site: Collection Date/Time: 03/26/2022 07:20
Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 12:02	



Garden State Laboratories, Inc.

Sample ID: CS 1 (Room 12, Side A) Lab Sample ID: 220330053-04
 Site: Collection 03/26/2022 07:21
 Date/Time:
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	0.00158 mg/l	0.015	0.00100	0.00055	20044	04/01/22 12:05	

Sample ID: CS 2 (Room 12, Side B) Lab Sample ID: 220330053-05
 Site: Collection 03/26/2022 07:22
 Date/Time:
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 12:08	

Sample ID: JCS (Janitor Closet Sink) Lab Sample ID: 220330053-06
 Site: Collection 03/26/2022 07:23
 Date/Time:
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 12:11	

Sample ID: SBRS (Staff Bathroom Sink) Lab Sample ID: 220330053-07
 Site: Collection 03/26/2022 07:27
 Date/Time:
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 12:14	

Sample ID: BRS 2 (Room 14) Lab Sample ID: 220330053-08
 Site: Collection 03/26/2022 07:28
 Date/Time:
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 12:22	



Sample ID: BRS 4 (Room 16) Lab Sample ID: 220330053-09
 Site: Collection 03/26/2022 07:30
 Date/Time:
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 12:25	

Sample ID: NS (Room 18) Lab Sample ID: 220330053-10
 Site: Collection 03/26/2022 07:37
 Date/Time:
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 12:28	

Sample ID: BRS 1 (Room 1) Lab Sample ID: 220330053-11
 Site: Collection 03/26/2022 07:44
 Date/Time:
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 23:24	

Sample ID: GB 1 (Girls Bathroom Sink 1) Lab Sample ID: 220330053-12
 Site: Collection 03/26/2022 07:50
 Date/Time:
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 23:27	

Sample ID: GB 2 (Girls Bathroom Sink 2) Lab Sample ID: 220330053-13
 Site: Collection 03/26/2022 07:50
 Date/Time:
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 23:35	



Sample ID: BB 3 (Boys Bathroom Sink 3) Lab Sample ID: 220330053-14
 Site: Collection Date/Time: 03/26/2022 07:51
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 23:38	

Sample ID: BB 4 (Boys Bathroom Sink 4) Lab Sample ID: 220330053-15
 Site: Collection Date/Time: 03/26/2022 07:51
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 23:41	

Sample ID: WC 3 (Room 4 Water Cooler) Lab Sample ID: 220330053-16
 Site: Collection Date/Time: 03/26/2022 08:01
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 23:44	

Sample ID: TL (Room 4 Teacher Lounge Sink) Lab Sample ID: 220330053-17
 Site: Collection Date/Time: 03/26/2022 08:02
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 23:47	

Sample ID: GB 5 (Girls Bathroom Sink) Lab Sample ID: 220330053-18
 Site: Collection Date/Time: 03/26/2022 08:05
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 23:56	



Sample ID: GB 6 (Girls Bathroom Sink) Lab Sample ID: 220330053-19
 Site: Collection Date/Time: 03/26/2022 08:05
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/01/22 23:59	

Sample ID: BB 7 (Boys Bathroom Sink) Lab Sample ID: 220330053-20
 Site: Collection Date/Time: 03/26/2022 08:06
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/02/22 00:02	

Sample ID: BB 8 (Boys Bathroom Sink) Lab Sample ID: 220330053-21
 Site: Collection Date/Time: 03/26/2022 08:06
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/02/22 00:04	

Sample ID: BRS 3 (Room 15) Lab Sample ID: 220330053-22
 Site: Collection Date/Time: 03/26/2022 07:29
 Matrix: Potable water Sample Type: Grab

Analyte	Method	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Lead, Total Recoverable	EPA 200.9	1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	04/02/22 00:07	

*DF = Dilution factor, < = less than, MCL = Maximum Contaminant Level, Rep. Limit = Reporting Limit and MDL = Method Detection Limit.
 The liability of Garden State Laboratories, Inc. for services rendered shall in no event exceed the amount of the invoice.
 When sample is collected by Garden State Labs, it is taken in accordance with the most current Field Sampling Plan GSL.FS.
 Main Lab certified by NJDEP #20044-TNI, NY Dept. of Health #11550 and PADEP #68-03680.*



Garden State Laboratories, Inc.